

Serial No. 10/803,766
60246-347; 10914**REMARKS**

The RCE Amendment filed August 3, 2006 referred to replacement figures that were not included in the response as filed. The replacement figures have been re-presented with this response.

The drawings are objected to under 37 CFR 1.83(a). The Examiner states that the features of claims 4, 9, 10, 19 and 22 must be shown in the figures or cancelled from the claims. The Examiner also objected to the drawings as not showing independently controlled evaporators, a display case, a service cabinet, a compartment for medial and scientific applications, remote monitoring means and a plurality of buttons.

Figure 1 shows independently operated evaporators 28 and 44 as recited in claim 4. A plurality of buttons 36 and 46 as recited in claim 19 is shown in Figure 1. A second evaporator (28 and 44) as recited in claim 22 is shown in Figure 1. Figure 1 schematically shows a refrigerated compartment 30, which as stated in paragraph 16 "can be a display case or a service cabinet that stores items in a preparation area before use" as recited in claim 9. Figure 1 therefore shows a display case or a service cabinet schematically as reference numeral 30.


Figure 1 has been amended to show a remote monitoring device 60 as recited in claim 12. Support for this amendment is found in paragraph 25. Figure 4 has been added to schematically show "scientific or medical applications" 62 as recited in claim 10.

Thus, claims 1-12, 15-20 and 22-28 are in condition for allowance. No additional fees are seen to be required. If any additional fees are due, however, the Commissioner is authorized to charge Deposit Account No. 50-1482, in the name of Carlson, Gaskey & Olds, P.C., for any additional fees or credit the account for any overpayment. Therefore, favorable reconsideration and allowance of this application is respectfully requested.

Serial No. 10/803,766
60246-347; 10914

Respectfully Submitted,

CARLSON, GASKEY & OLDS, P.C.




Karin H. Butchko
Registration No. 45,864
400 West Maple Road, Suite 350
Birmingham, Michigan 48009
Telephone: (248) 988-8360
Facsimile: (248) 988-8363

Dated: August 4, 2006

CERTIFICATE OF FACSIMILE

I hereby certify that this supplemental response is being facsimile transmitted to the United States Patent and Trademark Office, 571-273-8300 on August 4, 2006



Amy M. Spaulding